

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| S7 | 192 | (monitor\$4 same execution\$4 same program\$4) and (debug same logic) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/27 14:36 |
| L6 | 341 | (monitor\$4 same execution\$4 same program\$4) and (debug same logic) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/27 14:36 |
| L5 | 4 | "717"/\$.ccls. and (fault\$4 same analy\$4) and (fault same table) and (reset or initial\$4) same controll\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/27 12:05 |
| L4 | 36 | "717"/\$.ccls. and (fault\$4 same analy\$4) and (fault same table) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/27 12:04 |
| L3 | 3 | "717"/\$.ccls. and (stor\$4 same fault\$4 same controll\$4 same (reset or initial\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/27 12:03 |
| L2 | 1 | "717"/\$.ccls. and (monitor\$4 same execution\$4 same program\$4) and (stor\$4 same fault\$4 same control\$4 same (reset or initial\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/27 11:05 |
| S59 | 1 | "717"/\$.ccls. and (monitor\$4 same execution\$4 same program\$4) and (debug\$4 same logic) and micro adj controlle\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/27 11:03 |
| S10 3 | 45 | 717/124.ccls. and (address same range) and debug | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/26 15:53 |
| S10 2 | 118 | (stor\$4 NEAR1 fault\$4 and memory near1 address) and embedded and control\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/26 15:53 |

EAST Search History

| | | | | | | |
|----------|----|--|--|----|----|------------------|
| S10 1 | 66 | 717/127-129.ccls. and (monitor\$4 same execution\$4 same program\$4) and (debug\$4 same logic) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/26 15:53 |
| S72 | 37 | 717/124.ccls. and (address same range) and debug | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/26 15:53 |
| S38 | 77 | (stor\$4 NEAR1 fault\$4 and memory near1 address) and embedded and control\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/26 15:53 |
| S10 | 43 | 717/127-129.ccls. and (monitor\$4 same execution\$4 same program\$4) and (debug\$4 same logic) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/26 15:53 |
| S10 0 | 2 | "5680620".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/11 09:33 |
| S99 | 2 | "6535811".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/08 08:49 |
| S64 | 24 | debug same logic same register\$4 same parallel same execut\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/08 08:48 |
| S98 | 2 | "5155809".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 17:44 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|----|----|------------------|
| S97 | 36 | "5155809" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 17:44 |
| S96 | 23 | (secur\$ SAME stack SAME check\$4) and (parallel same process\$4) and (address same range) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/11 09:19 |
| S95 | 116 | (secur\$ SAME stack SAME check\$4) and parallel same process\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/11 09:19 |
| S94 | 574 | secur\$ SAME stack SAME check\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/11 09:18 |
| S93 | 1 | secur\$ NEAR1 stack NEAR1 check\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/11 09:18 |
| S92 | 1 | secure NEAR1 stack NEAR1 check | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/11 09:17 |
| S91 | 4 | ("5809293" "5680620").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/11 09:16 |
| S1 | 0 | ("5809293" "5680620").pn. and stack and over adj flow and (stor\$4 or memory) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/11 09:15 |
| S90 | 2 | "L1" and (debug same logic) and (parallel same program execut\$4) and (address\$4 same range) and (break same point) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/06 15:49 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|----|----|------------------|
| S89 | 32 | "L1" and (debug same logic) and (parallel same program execut\$4) and (address\$4 same range) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/06 15:49 |
| S88 | 0 | "L1" and (debug same logic) and (parallel same program execut\$4) and (address\$4 same range same break same point) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/06 15:49 |
| S87 | 96 | "L1" and (debug same logic) and (parallel same program execut\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/06 15:48 |
| S86 | 67 | "L1" and (debug same logic) and parallel | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/06 15:47 |
| S85 | 114 | "L1" and (debug same logic) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/06 15:47 |
| S84 | 0 | "L33" and (debug same logic) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/06 15:47 |
| S83 | 0 | "I33" and (debug same logic) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/06 15:47 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|----|----|------------------|
| S82 | 33 | (US-20040061147-\$ or US-20030033592-\$).did. or (US-6502209-\$ or US-5657442-\$ or US-6131154-\$ or US-5857094-\$ or US-6658578-\$ or US-6141791-\$ or US-5450586-\$ or US-6154856-\$ or US-5522076-\$ or US-6634020-\$ or US-6463553-\$ or US-6282701-\$ or US-6249907-\$ or US-6681384-\$ or US-6560722-\$ or US-6145123-\$ or US-5983017-\$ or US-5943498-\$ or US-6658653-\$ or US-5770836-\$ or US-6667917-\$ or US-6397349-\$ or US-5630045-\$ or US-4701854-\$ or US-6697972-\$ or US-5805800-\$).did. or (US-6219702-\$ or US-4493027-\$ or US-4525780-\$).did. or (JP-10078919-\$ or JP-05173890-\$).did. | US-PGPUB; USPAT; JPO | OR | ON | 2006/10/06 15:46 |
| S81 | 42 | (secure\$4 NEAR stack\$4NEAR check\$4 NEAR program\$4) NEAR execut\$4 and (address same range) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 15:32 |
| S80 | 255 | (secure\$4 NEAR stack\$4NEAR check\$4 NEAR program\$4) same execut\$4 and (address same range) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 15:32 |
| S79 | 6 | secure\$4 same stack same check\$4 same program\$4 same execut\$4 and (address same range) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 15:31 |
| S78 | 18 | secure\$4 same stack same check\$4 same program\$4 same execut\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 15:29 |

EAST Search History

| | | | | | | |
|-----|-------|--|--|----|----|------------------|
| S73 | 4 | 717/124.ccls. and (address same range) and debug and (break same point) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/05 15:28 |
| S77 | 12 | execut\$4 same parallel\$4 same debug\$4 same logic and (break same point) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/02 11:47 |
| S76 | 58 | execut\$4 same parallel\$4 same debug\$4 same logic | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/02 11:47 |
| S75 | 72103 | execut\$4 same parallel\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/02 11:46 |
| S74 | 48 | (debug same logic\$4) and excep\$4 and (illegal same (address and range)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/02 11:13 |
| S71 | 61 | 717/124.ccls. and (address same range) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/02 10:39 |
| S70 | 0 | 717/124.ccls. and (debug same logic same address same range) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/02 10:39 |

EAST Search History

| | | | | | | |
|-----|----|---|--|----|----|------------------|
| S69 | 5 | debug same logic same parallel same execut\$4 and (address same range) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/02 10:38 |
| S68 | 36 | debug same logic same parallel same execut\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/02 10:28 |
| S67 | 0 | (debug same logic same register\$4 same parallel same execut\$4) and (range same break same point) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/02 10:20 |
| S66 | 0 | (debug same logic same register\$4 same parallel same execut\$4) and (stack same range same break same point) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/02 10:20 |
| S65 | 0 | debug same logic same register\$4 same parallel same execut\$4 same stack same range same break same point | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/02 10:20 |
| S61 | 1 | (access same addres\$4 same range) and (access near illegal near stor\$4) same area | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/02 10:18 |
| S63 | 1 | "717"/\$.ccls. and S60 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/13 09:42 |
| S62 | 1 | 717/127-129.ccls. and S60 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/13 09:42 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S60 | 6 | (access near illegal near stor\$4) same area | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/13 09:41 |
| S51 | 28 | (illegal near access) same storage same area | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/13 09:35 |
| S9 | 6 | (monitor\$4 same execution\$4 same program\$4) and (debug\$4 same logic) and micro adj controlle\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/10 10:40 |
| S57 | 8 | (debug same logic\$4) and excep\$4 and (illegal same (address and range)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/10 10:39 |
| S56 | 145 | (debug same logic\$4) and excep\$4 and address and range and illegal | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/27 08:57 |
| S55 | 546 | (debug same logic\$4) and excep\$4 and address and range | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/27 08:57 |
| S54 | 805 | (debug same log\$4) and excep\$4 and address and range | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/27 08:57 |
| S53 | 805 | debug same log\$4 and excep\$4 and address and range | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/27 08:56 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S52 | 8 | (illegal near access) same (address near range) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 15:35 |
| S50 | 0 | 717/124.ccls. and (illegal same access same storage same area) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 15:14 |
| S49 | 75 | illegal same access same storage same area | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/15 15:13 |
| S43 | 15 | execut\$5 near5 (swap\$4 or mov\$4 same code same flash same RAM) and (micro adj controller) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/14 12:35 |
| S42 | 899 | execut\$5 near5 (swap\$4 or mov\$4 same code same flash same RAM) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/14 12:34 |
| S41 | 10 | (monitor\$4 near2 execution\$4 near2 program\$4) and (stor\$4 near3 fault) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/14 12:33 |
| S40 | 51 | (monitor\$4 same execution\$4 near2 program\$4) and (stor\$4 near3 fault) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:57 |
| S39 | 135 | (monitor\$4 same execution\$4 same program\$4) and (stor\$4 near3 fault) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:57 |
| S18 | 1 | monitor\$4 same execution\$4 same debug adj logic and monitor\$4 and (initializ\$\$ near3 program\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:55 |

EAST Search History

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| S37 | 77 | (stor\$4 NEAR1 fault\$4 and memory near1 address) and embedded | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:42 |
| S36 | 347 | stor\$4 NEAR1 fault\$4 and memory near1 address | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:41 |
| S35 | 490 | stor\$4 NEAR1 fault\$4 and memory near2 address | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:41 |
| S34 | 2987 | stor\$4 NEAR1 fault\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:40 |
| S28 | 1 | fault\$4 near10 memory NEAR3 address\$4 same (reset or initialize\$4) same micro adj control\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:40 |
| S27 | 114717 | stor\$4 NEAR3 fault\$4 NEAR5 memory same address\$4 same reset or initialize\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 17:40 |
| S33 | 3 | (monitor\$ same program\$4 same execution\$4) and (debug with logic) and (micro adj control\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 16:18 |
| S32 | 1 | (monitor\$ same program\$4 same execution\$4) and (debug with logic) near5 (micro adj control\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 16:17 |
| S31 | 114 | (monitor\$ same program\$4 same execution\$4) and (debug with logic) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 16:17 |
| S30 | 1 | (monitor\$ same program\$4 same execution\$4) near5 (debug with logic) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 16:16 |

EAST Search History

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| S29 | 1 | fault\$4 near5 memory NEAR3 address\$4 same (reset or initialize\$4) same micro adj control\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 16:15 |
| S26 | 114835 | stor\$4 same fault\$4 same memory same address\$4 same reset or initialize\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:54 |
| S25 | 114706 | stor\$4 same fault\$4 same memory same address\$4 same reset or initialize\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:54 |
| S24 | 0 | ("5809293" "5680620" "5680620" "6282701").pn. and stor\$4 and fault | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:53 |
| S23 | 0 | ("5809293" "5680620" "5680620").pn. and stor\$4 and fault | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:45 |
| S15 | 1 | ("5809293" "5680620").pn. and monitor\$4 same executio\$4 same debug adj logic and monitor\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:44 |
| S22 | 8 | ((initializ\$4 same program\$4) and (reset\$5 same start\$4)) same (micro adj control\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:38 |
| S21 | 84 | (initializ\$4 same program\$4) same (micro adj control\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:37 |
| S20 | 1 | monitor\$4 same executio\$4 same debug adj logic and monitor\$4 and (initializ\$4 same program\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:36 |
| S19 | 1 | monitor\$4 same executio\$4 same debug adj logic and monitor\$4 and (initializ\$4 near3 program\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:36 |

EAST Search History

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| S17 | 1845 | (reset\$4 same start\$5 same initializ\$4) same (micro adj controll\$4 or program) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:29 |
| S16 | 140993 | (reset\$4 or start\$5 or initializ\$4) same (micro adj controll\$4 or program) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 14:29 |
| S14 | 1 | ("5809293" "5680620").pn. and monitor\$4 same executio\$4 same debug adj logic | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 13:23 |
| S13 | 1 | ("5809293" "5680620").pn. and monitor\$4 same executio\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 13:22 |
| S12 | 4 | ("5809293" "5680620").pn. and monitor\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 13:22 |
| S11 | 4 | ("5809293" "5680620").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 13:22 |
| S4 | 0 | ("5809293" "5680620").pn. and stack\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 13:16 |
| S8 | 5 | (monitor\$4 same execution\$4 same program\$4) and (debug same logic) and micro adj contolle\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:37 |
| S6 | 8428 | monitor\$4 same execution\$4 same program\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:28 |
| S5 | 63273 | monitor\$4 and execution\$4 and program\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:28 |

EAST Search History

| | | | | | | |
|----|---|---|---|----|----|------------------|
| S3 | 0 | ("5809293" "5680620").pn. and stack | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:25 |
| S2 | 0 | ("5809293" "5680620").pn. and stack and (over adj flow)and (stor\$4 or memory) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/13 12:25 |